

DIY Wobble board

Materials:

1. Round Table Top
2. Banister Ball w/double sided screw 2-3"
3. Grip Tape
4. Outdoor Paint (Optional)
5. Wood Glue

Tools:

1. Drill
2. Pliers
3. Tape Measure
4. String
5. Paint brush (Optional)
6. Razor Blade
7. Pencil

Step One:

Measure the dog. Have the dog stand comfortably and measure paw to paw.



Step Two:

Purchase all the supplies if you don't have them laying around already. Your board should be around 4-6 inches larger in diameter than your dog's measurement. It's okay if your board is bigger. The banister ball should be between 2-3". We couldn't find a 3" ball so we used a table saw to cut ours down to size. I would recommend a shorter ball for a nervous dog who is just starting out. Paint is an optional step. I highly recommend purchasing grip tape for the dog's safety.



Step Three:

You need to find the center of the board. Lay your string down on the widest part of the board with a pencil draw a line across the board. Repeat that step 4-5" away from the first line and again 4-5" from the next one.



Step Four:

Drill a hole into the center of the board. You only want to go 1/2 way through the board. Then with the banister ball it has a double sided screw built into it, with pliers twist the screw further into the banister ball to where 3/4" of the screw is still out. Put wood glue around the hole in the board and screw the banister ball into the board. Let it dry for as long as your wood glue says. I recommend letting it dry for a few hours.





Step 5 (Optional):

Painting is optional. Make sure the paint is completely dry before proceeding to the next step.

Step 6:

Install your grip tape. We used a razor to cut the strips into shapes